



FIRE SHIELD



Barri-Box





System No. W-L-7249

Barri-Box: Effortless Fire-Rated Wall Protection.

Barri-Box addresses the often-overlooked firestopping requirements, effortlessly managing moving valves, multiple supply lines, and non-metallic escutcheon plates.

Simply insert Barri-Box into the valve access hole, eliminating labor-intensive valve protection and ensuring a quick, effective firestopping solution.

ANSI/UL1479 (ASTM E814)	CAN/ULC S115
F Ratings — 1 and 2 Hr (See Items 1 and 3)	F Ratings — 1 and 2 Hr (See Items 1 and 3)
T Ratings — 1 and 2 Hr (See Items 1 and 3)	FT Ratings — 1 and 2 Hr (See Items 1 and 3)
	FH Ratings — 1 and 2 Hr (See Items 1 and 3)
	FTH Ratings — 1 and 2 Hr (See Items 1 and 3)



Section A-A

Alt Section A-A

- **UL Tested and Listed:** Certified under W-L-7249 for shower valve penetrations, ensuring compliance with code-required equal “T” rating.
- **Adaptable Design:** Compatible with both non-metallic and metallic escutcheon plates, suitable for metal and wood stud framing.
- **Comprehensive Protection:** Includes a minimum 2½ inch shaft wall, tested in back-to-back configurations for enhanced safety.
- **Durable Construction:** Made from galvanized metal with a separate back piece, ideal for new construction and retrofit applications.
- **Convenient Features:** Slots in the box allow for easy running of supply lines through the mat material.
- **Standard and Custom Sizes:** Available in standard sizes (7x7, 7x8, 8x8, and 10x10 inches with 2.75-inch depth), with custom sizes and depths also available. Specifications Available:
- Detailed specs can be found on [Deltex SpecPoint/MasterSpec](#), [RIB SpecLink](#), and [ARCAT](#).
- Patent Pending: Proudly made in the **United States of America**.

(702-622-9385)

www.FireShieldLV.com

Info@FireShieldLv.com